GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE / NEW DELHI-110 001.

No.F.6/DFS/MS/School/2022/SZ / 429

Dated: 20 04 2022

FIRE SAFETY CERTIFICATE

Certified that the **Ekta Model Sec. School**, R/D Block, Dharampura Extn., Kakrola Road, Najafgarh, New Delhi-110043, comprised of ground floor plus two upper floors owned/occupied by the Ekta Model Sec. School was issued Fire Safety Certificate by this department vide letter No. F.6/DFS/MS/School/2019/SZ/917 dated 30/04/2019. The school building was re-inspected by the officer concerned of this department on 31/03/2022 in the presence of Sh. Surender Kumar (Manager) and found that the school building have deemed complied with the fire prevention and fire safety requirements in accordance with the Rule 37 of the Delhi Fire Service Rules, 2010 and found that the building is fit for occupancy Group B 'Educational Building' with effect from 20.104/2022 for a period of three years, subject to

conditions printed overleaf Issued on 20,04,2022 at New Delhi by

(SUNIL CHAWDHARY) DY.CHIEF FIRE OFFICER

Copy to:-

1. The Manager, Ekta Model Sec. School, R/D Block, Dharampura Extn., Kakrola Road, Najafgarh, New Delhi-110043.

2. Director of Education, Govt. of NCT of Delhi, Old Secretariat, New Delhi -- 110054.

Following fire safety directives must be adhered to:-

- 1. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
- 2. The means of escape shall be kept unlocked and unobstructed for unhindered evacuation of occupants in case of emergency.
- 3. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.

4. The trained staff should be available round the clock.

5. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning agency.

6. The certificate may not be treated in any case for the regularization of the unauthorized construction, if any.

7. The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on www.dfs.delhigovt.nic.in.

8. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in the Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry.

R/o Block, Dharampura Extn. Najafgarh, Naw Delhi-110943

CERTIFICATE OF LAND

File No.:

42148

Dated: 01/05/2024

It is certified (on the basis of report submitted by Halka Patwari concerned) that main part of Ekta Model School, Najafgarh is situated at land measuring 1923 Sq. mtrs bearing Kh. Nos. 21//16/2 min(2-0) and 25/2 (3-14) in Revenue Estate of Village Najafgarh. Land bearing above khasra nos. is in the name of Suresh Lal Rishi S/o Binoo Lal (According to Revenue Record/Khatoni 2012-13).

It is certified that the land measuring 1923 Sq. mtrs bearing khasra Nos. 21//16/2 min(2-0) and 25/2 (3-14) in Revenue Estate of Village Najafgarh and the village Najafgarh is urbanized.

It is certified that the said entire land comprise of a single contiguous plot of land measuring 1923 Sq. mtrs bearing khasra Nos. 21//16/2 min(2-0) and 25/2 (3-14) in Revenue Estate of Village Najafgarh is situated/operational on the same.

THE SCHEDULED OF LAND ABOVE REFERRED TO

All that piece and parcel of land measuring 1923 Sq. mtrs bearing khasra Nos. 21//16/2 min (2-0) and 25/2 (3-14) in Revenue Estate of Village Najafgarh on which Ekta Model School, Najafgarh is situated & operational is bounded as follows:

North: Main Road

East: Private Property

West: Private Property

certificate as a single pdf.

South : Street

* The filled up certificate should be either in Hindi or English. If it is issued in vernacular language, translated notarized version in English be uploaded along with the original vernacular

TEHSILDAR (NAJAFGARH)

V Principal
Ekta Model Sec. School
R/o Block, Dharampura Extn.
Najafgarh, New Delhi-110043

SELF - CERTIFICATION PROFORMA

| | Category of application : Extension of Affiliation | | | | | |
|-------|--|--|--|--|--|--|
| 1 (i) | ANITA SINDHWANI (Principal) of the school EKTA MODEL SECONDARY SCHOOL certify that : | | | | | |
| 1 | The following uploaded documents are genuine and valid | | | | | |
| * | No Objection Certificate No.: NA | | | | | |
| * | Trust/Society/Company Registration No.: S - 19400 0F 1988 | | | | | |
| * | Trust/Society/Company Registration Issuing Authority : REGISTRAR OF SOCIETIESGOVT OF NCT OFDELH | | | | | |
| * | Recognition Certificate No.: DE/SW/Z-22)96/545 | | | | | |
| * | Recognition Issuing Authority : DDE SW B GOVT OF NCT OF DELHI | | | | | |
| * | Recognition Expiry Date: Regular | | | | | |
| * | Fire Safety Certificate No.: DFS/MS/School/2022/SZ/429 | | | | | |
| * | Fire Safety Certificate Issuing Authority : DELHI FIRE SERVICE GOVT OF NCT OF DELHI | | | | | |
| * | Fire Safety Certificate Expiry Date: 19/04/2025 | | | | | |
| * | Building Safety Certificate No.: 12/se/2024 | | | | | |
| * | Building Safety Certificate Issuing Authority (Not below the rank of Asstt. Engineer in PWD) : EXECUTIVEENGINEER HQSOUTH DELHI MUNCIPAL CORPORATION | | | | | |
| * | Building Safety Certificate Expiry Date: 13/02/2025 | | | | | |
| * | Land Certificate No: 42148 | | | | | |
| * | Land Certificate Issuing Authority: SDM Tehsilday (Najafgarh) | | | | | |
| * | Land Certificate is in name of School/Society/Trust/Company duly signed by authorized signatory | | | | | |
| * | Water and Sanitation Certificate No.: 290119 - 06 | | | | | |
| * | Water and Sanitation Issuing Authority: MUNCIPAL CORPORATION OF DELHI | | | | | |
| * | Date of Issue of Water and Sanitation Certificate: 12/02/2024 | | | | | |
| 2. | That mandatory disclosure has been displayed on the school's website and it's link has been filled in the Part A of the application | | | | | |
| 3,,, | That as per norms sufficient numbers of room/s and well equipped Laboratories for Physics, Chemistry, Biology are for available for senior secondary classes. | | | | | |
| 4. | That we have uploaded/submitted all the self-attested documents/ information on the School's Web-Portaland link in the application and the same are true and genuine. | | | | | |
| 5, | Submission of wrong system Generated DEO Certificate / Self-undertaking Certificate or deliberatemisrepresentation or fraud may result in summarily rejection of Application. | | | | | |
| 6. | Submission of fraudulent/deliberate misrepresentation/fraud undertaking with intent to obtain affiliation through wrongful means may also lead to penal action against Principal, Manager and authorized signatory of Society. | | | | | |
| Nam | e and Signature(s): | | | | | |
| - P | V Principal Ekta Model Sec. School Tracipal Dharampura Excusion Signatory of Trust/Society/Company Manager/ Authorised Signatory | | | | | |
| NB | tte :10/06/2024 Place : NEW DELHI , DELHI R/D Block, Dharampura Extn | | | | | |

This document is to be digitally signed by the Secretary of the Society/ Trust/ Company.



Plot, 87/2&9, Opp. Metro Pillar No. 717, Industrial Area Rohtak Road, Mundka, New Delhi-110041

M.: 9211130002

Email: tarunsharma92002@gmail.com



KVQA

TEST REPORT

Water Sample Analysis

Report Code: 290119-06

Issue Date 12/02/2024

Issue To

Ekta model school RD block dharmapurma ext. kakrola Road Najafgarh New Delhi

Sample Description : Drinking water

Sample Condition:- Satisfactory

| | | RES | ULTS | | | |
|------|---------------------------|-------------------|----------------|----------------|----------------------|-----------------------|
| | | Water Test as p | er IS: 10500;2 | 2012 | | |
| S.NO | Parmeter | Test Method | Results | Units | Acceptabl e Limit | Permissibl e Limit |
| 1 | рН | IS:3025(Part-11) | 6.78 | - | 6-50 to8-5 | No Relaxation |
| 2 | Colour | IS:3025(Part-11) | <1 | Hazen | 5Max TM | 15 Max |
| 3 | Odour | IS:3025 (Part-11) | Agreeabl e | | Agreeable | Agreeable |
| 4 | Taste | IS:3025 (Part-11) | Agreeabl e | * | Agreeable | Agreeable |
| 5 | Turbidity | IS:3025(Part-11) | <0.1 | NTU | 1 Max | 5 Max |
| 6 | Total Ardness (CaCO3) | IS:3025(Part-11) | 85.36 | Mg/I | 200Max | 600 Max |
| 7 | Chloride(as CI) | IS:3025(Part-11) | 57.57 | Mg/I | 250 | 1000 Max |
| 8 | Residual Free Chlorine | IS:3025(Part-11) | 0.24 | Mg/I | 0.2 | 1 Min |
| 9 | Iron (as Fe) | IS:3025(Part-11) | <0.1 | Mg/I | <0.1 | No Relaxation |
| 10 | Fluoride (as F) | IS:3025(Part-11) | <0.1 | Mg/I | 1.0 Max | 1.5 Max |
| 11 | Total Dissolved Solid | IS:3025(Part-11) | 296 | Mg/I | 500 Max | 2000 Max |
| 12 | Total Coli From | | Absent | MPN/10 0 ML | Absent | |
| 13 | E. Coli in 100 ml | | Absent | MPN/10 0 ML | Absent | |

Remark: The above tested parameter meet te requirement IS 10500-2012 Reff-2018

Antiu

Ekta Model Sec. School R/o Block, Dharampura Extn. Najafgarh, New Delhi-110043



MUNICIPAL CORPORATION OF DELHI

OFFICE OF THE DY. HEALTH OFFICER: NAJAFGARH ZONE ROOM NO.408, 4TH FLOOR, ZONAL BUILDING, DHANSA STAND, NAJFGARH, NEW DELHI 110043



No.DHO/NGZ/2024/22 736

Dated 26 02 2 24

- 1. Name of the School **EKTA MODEL SEC. SCHOOL**
- School Address PLOT-6/7, R/D BLOCK, DHARAMPURA EXTN., KAKROLA ROAD, NEW DELHI-110043.
- 3. No. of Shift ONE Timing 08:00 AM TO 01:30 PM
- 4. No. of Students: Boys=197 Girls = 139 Total = 336
- 5. No. of Staffs: Male 05 Female 12 Total =17

Details of Accommodations present in School

- 1. Floor Space in the Classroom Sufficient/insufficient SUFFICIENT 2. The Classrooms are Well Lighted/ill lighted WELL LIGHTED 3. The Classrooms are Well Ventilated/ill ventilated WELL VETILATED The Classrooms are kept / Not kept Neat & Clean: **NEAT AND CLEAN** 4. The Classrooms/Building requires/ do not required Whitewash etc. NOT REQUIRED 5. The Drinking Water is Wholesome/ not wholesome WHOLESOME 6.
- No. of toilets seats for student

7.

- 1. One latrine-cum-urinal is required for 25 female student, so total is SUFFICIENT
- 2. One latrine for 40 male student is required so total is SUFFICIENT

The Latrine arrangement is Sanitary/insanitary

- 3. Separate Toilet arrangement for staff present: Yes/No YES SEPARATE EXISTS FOR STAFF.
- 4. The Overall facilities: Good/ Adequate/Inadequate V.GOOD FROM HEALTH POINT OF VIEW AND VALID UP TO ONE YEAR FROM ISSUANCE DATE.

If Building Department or any other Govt. agency takes actions against u/a constructions or any dispute, then the Health Certificate will be stand cancelled/revoked without any further intimation in this regard.

V Principal Ekta Model Sec. School R/o Block, Dharampura Extn. Najafgarh, New Delhi-110043

Deputy Health Officer Najafgarh Zone

(Remark: Certificate is valid for one year)

Deputy Health Officer Muncipal Corporation Of Delhi Health Deptt., Najafgarh Zone

SANITARY FROM HEALTH POINT OF VIEW.



EKTA MODEL SEC. SCHOOL

(CO-EDUCATIONAL, ENGLISH MEDIUM)

Plot - 6/7, R/D Block, Dharampura Extn., Kakrola Road, Najafgarh, New Delhi-110043

Ref. No. EMSS/2024.

SCHEDULE OF FEES/FINE/FUNDS FOR ACADEMIC SESSION 2024-25

| | Annual Charge | I to V | VI to VIII | IX to X |
|---|----------------|-------------|-------------|-------------|
| 1 | Admission Fees | Rs. 200.00 | Rs. 200.00 | Rs. 200.00 |
| | Annual Charge | Rs. 1650.00 | Rs. 1675.00 | Rs. 1900.00 |

2. Tuition Fees per months

| I to V | Rs. 725.00 |
|-----------|-------------|
| VI to VII | Rs. 840.00 |
| VIII | Rs. 950.00 |
| IX | Rs. 1200.00 |
| Χ | Rs. 1400.00 |

V Principal
Ekte Model Sec. School
R/o Block, Dharampura Extn.
Najafgarh, New Delhi-110043